



CATALOGUE

COMPANION ANIMALS

*"Our mission
is to bring innovative solutions
to vets and pet owners,
so that we can take care
of your pet's health."*

Lle



www.candioli.com



For internal use only

credit: Deltacommerce srl - www.deltacommerce.com

PME6543V0



COMPANION ANIMALS



Gastroenterology..... 4

Florentero® Complex tablets **NEW**
Florentero® Complex paste **NEW**
Florentero® Complex suspension **NEW**
Florentero® Fast tablets **NEW**
Florentero® Fast paste **NEW**
Glutamax® Advanced paste
Glutamax® Advanced tablets
Gastrik Pet tablets **NEW**
Gastrik Pet suspension **NEW**
Besame 100
Besame 200
Bolo Via paste



Nephro-urology.....10

Renal P powder
Renal P paste
Renal N powder
Renal N paste
Renal COMBI powder
Renal COMBI paste
Duomega 500 mg / 1000 mg dogs
Duomega cats
Cystocure® Forte powder
Cystocure® Forte tablets
Cystocure Forte paste



Pain & Joint-Function.....16

Evexia Plus tablets
Evexia Plus liquid
Evexia HF tablets
Confis® Ultra
Confis® cats



Dermatological products...19

Actea® Dermo
Actea® Oto
Diclorex® Foam
Dermousse
Neoxide®
Optivet



Dental care products..... 23

Actea® Oral
DentalMax®
DentalPet® Spray
DentalPet®
DentalPet® Kit



Other complementary feeds.....26

Forbid
Herpless Plus
Herpless Plus facile
Vigorpet cats
Vigorpet dogs
Pappylait dog
Pappylait cat



Diagnostic products.....30

Coprosol
Copro-kit®



GASTROENTEROLOGY



Florentero® Complex tablets

The most complete and innovative formula for stabilising the physiological digestion of dogs and cats in cases of acute and chronic diarrhoea

Vexantra

It contains over 11 billion probiotics. The only one with Canobios-BL var. Boulardii, the exclusive Candioli pharma complex of extracellular vesicles of plant origin Vexantra and Bacnutra, a mix of peptides with antimicrobial action resulting from research by Candioli pharma.

IN EACH TABLET

Saccharomyces cerevisiae (Canobios-BL var.Boulardii) DSM 34246 4b1873	1.1 x10⁹ CFU
Lactobacillus acidophilus CECT 4529 4b1715	1.0 x10¹⁰ CFU

COMPOSITION

Fructo-oligosaccharides, Yeasts products (obtained from Saccharomyces cerevisiae), Sodium pyrophosphate, Mono- and diglycerides of fatty acids esterified with organic acids (Glyceryl dibehenate), Products and co-products from processing fresh fruits (Malus domestica fructus-Vexantra), Brewers' yeast, inactivated, Lignocellulose (Pinus pinea), Magnesium stearate, Lupin protein meal, Dicalcium phosphate, Magnesium sulphate, Starch (maize), Sodium chloride, Potassium sulphate, Sunflower oil, Whey protein powder, Dextrin.

ADDITIVES per kg

Vitamins: Thiamine hydrochloride 3a820 2,800 mg – Pyridoxine hydrochloride 3a831 1,070 mg – Riboflavin 3a825ii 664 mg – Vitamin E 3a700 5 IU - Vitamin B12 3a836 420,000 µg **Stabilisers:** Microcrystalline cellulose E460 334,800 mg **Emulsifiers:** Lecithins 1c322i 10,000 mg **Anti-caking agents:** Colloidal silica E551b 6,678 mg **Gut flora stabiliser:** Saccharomyces cerevisiae (Canobios-BL var.Boulardii) DSM 34246 4b1873 9.0 x10¹¹ CFU – Enterococcus faecium DSM 10663/NCIMB 10415 4b1707 2.8 x10¹¹ CFU - Lactobacillus acidophilus CECT 4529 4b1715 8.4 x10¹⁰ CFU **Sensory additives:** aroms.

Jar with 30 tablets / Multi-blister-pack with 120 tablets



30 tabs

120 tabs



INSTRUCTION FOR PROPER USE

For dogs and cats, adults and puppies. **Florentero® Complex** may be used in case of risk of, during periods of, or recovery from digestive disturbance. It is recommended that the opinion of a nutrition expert or veterinarian should be sought before using the feed. Leave water available to the animal. The recommended length of time is up to 4 weeks, according to the following scheme, mixed with food or directly into the animal mouth:

Cats: 🐾 ½ tab/day
Dogs 0-5 kg: 🐾 ½ tab/day
Dogs 5-10 kg: 🐾 1 tab/day
Dogs 10-25 kg: 🐾 🐾 2 tabs/day
Dogs 25-40 kg: 🐾 🐾 🐾 3 tabs/day
Dogs over 40 kg: 🐾 🐾 🐾 🐾 4 tabs/day

The daily dose may be administered once a day or divided into two times a day. Store in a cold, dry place away from light and heat sources. Not intended for human consumption.

Dietetic complementary feed for dogs and cats



Florentero® Complex paste

The most complete and innovative formula for stabilising the physiological digestion of dogs and cats in cases of acute and chronic diarrhoea

Vexantra

It contains over 11 billion probiotics. The only one with Canobios-BL var. Boulardii, the exclusive Candioli pharma complex of extracellular vesicles of plant origin Vexantra and Bacnutra, a mix of peptides with antimicrobial action resulting from research by Candioli pharma.

EACH ML CONTAINS

Lactobacillus acidophilus CECT 4529 4b1715	4.4 x10⁹ CFU
Saccharomyces Cerevisiae DSM 34246 4b1873 (Canobios-BL var.Boulardii)	4.7 x10⁸ CFU

COMPOSITION

Sunflower oil, Malt (Extract), Fructo-oligosaccharides, Mono, di and tri glycerides of fatty acids (Glycerol mono stearate), Linseed expeller, Yeasts products (obtained from Saccharomyces cerevisiae), Sodium pyrophosphate, Brewers' yeast, inactivated, Products and co-products from processing fresh fruits (Malus domestica fructus-Vexantra), Starch, pre-gelatinised (Corn flour), Lignocellulose (Pinus pinea), Lupin protein meal, Dicalcium phosphate, Starch (Corn flour), Magnesium sulfate, Sodium chloride, Potassium sulfate, Whey protein powder, Dextrin.

ADDITIVES per kg

Vitamins: Thiamine hydrochloride 3a820 mg 1,400 mg - Pyridoxine hydrochloride 3a831 535 mg - Riboflavin 3a825ii 332 mg - Vitamin E 3a700 5,000 IU - Vitamin B12 3a836 210,000 g. **Emulsifiers:** Lecithins 1c322i 10,000 mg. **Gut flora stabiliser:** Enterococcus faecium DSM 10663/NCIMB 10415 4b1707 1.4 x10¹¹ CFU Lactobacillus acidophilus CECT 4529 4b1715 4.2 x10¹⁰ CFU Saccharomyces Cerevisiae DSM 34246 4b1873 (Canobios-BL var. Boulardii) 4.5 x10¹⁰ CFU. **Sensory additives:** Aroms. **Antioxidants:** Butylhydroxytoluene (BHT) E321 5,000 mg.

Dosing syringe 30 ml



30 ml



INSTRUCTION FOR PROPER USE

For dogs and cats, adults and puppies. **Florentero® Complex** may be used in case of risk of, during periods of, or recovery from digestive disturbance. It is recommended that the opinion of a nutrition expert or veterinarian should be sought before using the feed. Leave water available to the animal. The recommended length of time is up to 4 weeks, administered in reason of 1 ml every 5 kg of body weight per day. Close the syringe carefully after opening; store in a cold, dry place away from light and heat sources. Not intended for human consumption.

Dogs and cats: 🐾 1 ml every 5 kg per day

Dietetic complementary feed for dogs and cats

Florentero® Complex suspension

The most complete and innovative formula for stabilising the physiological digestion of dogs and cats in cases of acute and chronic diarrhoea

Vexantra

It contains over 11 billion probiotics. The only one with Canobios-BL var. Boulardii, the exclusive Candioli pharma complex of extracellular vesicles of plant origin Vexantra and Bacnutra, a mix of peptides with antimicrobial action resulting from research by Candioli pharma.

IT CONTAINS

Saccharomyces Cerevisiae DSM 34246 4b1873 (CanobiosBL-var.Boulardii)	2.7 x 10⁸ CFU
Lactobacillus acidophilus CECT 4529 4b1715	2.5 x10⁹ CFU

COMPOSITION

Sunflower oil, Fructo-oligosaccharides, Dextrin palmitate, Sodium pyrophosphate, Yeasts products (obtained from Saccharomyces cerevisiae), Brewers' yeast, inactivated, Lupin protein meal, Lignocellulose (Pinus pinea), Dicalcium phosphate, Magnesium sulphate heptahydrate, Potassium sulphate, Sodium chloride, Whey protein powder, Dextrin, Glyceryl dibehenate, Products and co-products from processing fruits (Malus domestica fructus-Vexantra).

ADDITIVES per kg

Vitamins: 3a700 Vitamin E 2,000 IU - 3a820 Vitamin B1 700 mg - 3a825ii Vitamin B2 166 mg - 3a831 Vitamin B6 2675 mg - 3a836 Vitamin B12 105,000 µg. Trace elements: 3b603 Zinc Oxide – Zn 1.9 mg. **Stabilisers:** E460 Microcrystalline cellulose 2,080 mg. **Emulsifiers:** 1c322i Lecithins 76.5 mg. **Sensory additives:** aroms. **Gut flora stabilisers:** 4b1873 Saccharomyces Cerevisiae DSM 34246 (CanobiosBL- var.Boulardii) 2.8 x 10¹¹ CFU - 4b1707 Enterococcus faecium DSM 10663/NCIMB 10415 8.7 x 10¹⁰ CFU - 4b1715 Lactobacillus acidophilus CECT 4529 2.6 x 10¹⁰ CFU.

Palatable suspension of 60 ml



60 ml



INSTRUCTION FOR PROPER USE

For dogs and cats, adults and puppies. **Florentero® Complex** may be used in case of risk of, during periods of, or recovery from digestive disturbance. It is recommended that the opinion of a nutrition expert or veterinarian should be sought before using the feed. Leave water available to the animal. The recommended length of time is up to 4 weeks, in reason of 2 ml every 5 kg of body weight per day. Before use, shake well. Close the bottle carefully after opening; store in a cold, dry place away from light and heat sources. Not intended for human consumption.

Dietetic complementary feed for dogs and cats



Florentero® Fast tablets

Reduction of acute intestinal absorptive disorders during periods of and recovery from acute diarrhoea

IN EACH TABLET

Lactobacillus acidophilus CECT 4529 4b1715	CFU 1.0 x10 ¹⁰
--	---------------------------

COMPOSITION
Pregelatinised starch (Rice), Pectine (*PetSphera), Fructo-oligosaccharides, Sodium chloride, Mono and diglycerides of fatty acids esterified with organic acids (Glyceryl dibehenate), Sodium pyrophosphate, Potassium sulphate, Magnesium salts of stearic acid, Brewers' yeast, inactivated, Lupin protein meal, Dicalcium phosphate, Magnesium oxide, Vegetable oil and fat (Sunflower oil refined), Maltodextrin.

ADDITIVES per kg
Technological additives: Binders: Clinoptilolite of sedimentary origin 1g568 139,744 mg (*PetSphera) - Kaolinitic clays, free of asbestos E559 75,456 mg (*PetSphera) **Stabilisers:** Microcrystalline cellulose E460 107,040 mg **Anti-caking agents:** Colloidal silica E551b 5,005 mg **Nutritional additives: Vitamins:** Niacinamide 3a315 11,520 mg – Thiamine hydrochloride 3a820 1,500 mg – Riboflavin 3a825ii 384 mg - Pyridoxine hydrochloride 3a831 480 mg – Vitamin E 3a700 5 IU **Zootechnical additives: Gut flora stabilisers:** Lactobacillus acidophilus CECT 4529 4b1715 5.1 x10⁹ CFU **Sensory additives: Natural products botanically defined:** Castanea sativa Mill.: chestnut extract 6,364 mg **Flavouring compounds:** Tannic acid 2b16080 500 mg.

Jar with 12 tablets / Multi-blister-pack with 60 tablets

Florentero® Fast paste

Reduction of acute intestinal absorptive disorders during periods of and recovery from acute diarrhoea

IN EACH ML

Lactobacillus acidophilus CECT 4529 4b1715	CFU 1.2 x10 ⁹
--	--------------------------

COMPOSITION
Pregelatinised starch (Rice), Vegetable oil and fat (Sunflower oil, Soybean oil), Pectin (*PetSphera), Mono and diglycerides of fatty acids esterified with organic acids (Glycerol monostearate), Malt extract, Sodium chloride, Potassium sulphate, Sodium pyrophosphate, Brewers' yeast, inactivated, Dicalcium phosphate, Lupin protein meal, Magnesium oxide, Maltodextrin.

ADDITIVES per kg
Technological additives: Binders: Clinoptilolite of sedimentary origin 1g568 50,000 mg (*PetSphera) - Kaolinitic clays, free of asbestos E559 27,000 mg (*PetSphera) **Nutritional additives: Vitamins:** Vitamin E 3a700 5,000 IU - Niacinamide 3a315 2.880 mg – Thiamine hydrochloride 3a820 375 mg – Pyridoxine hydrochloride 3a831 120 mg – Riboflavin 3a825ii 120 mg **Zootechnical additives: Gut flora stabilisers:** Lactobacillus acidophilus CECT 4529 4b1715 1.5 x10⁹ CFU **Sensory additives: Natural products botanically defined:** Castanea sativa Mill.: chestnut extract 1,563 mg **Flavouring compounds:** Tannic acid 2b16080 125 mg.

Dosing syringe 15 ml



INSTRUCTION FOR PROPER USE
For dogs and cats, adults and puppies. **Florentero® FAST** may be used during period of and recovery from acute diarrheas. It is recommended that a veterinarian's opinion be sought before use or before extending the period of use. Complete the daily ration with the usual food. It is suggested to take a balanced daily ration. Fresh water should be available at all times. The recommended length of time is 1 to 7 days, according to the following scheme, mixed with food or directly into the animal mouth:

Cats:	🐾 ½ tab/day
Dogs 0-5 kg:	🐾 ½ tab/day
Dogs 5-10 kg:	🐾 1 tab/day
Dogs 10-20 kg:	🐾🐾 2 tabs/day
Dogs 20-35 kg:	🐾🐾🐾 3 tabs/day
Dogs 35-50 kg:	🐾🐾🐾🐾 4 tabs/day
Dogs over 50 kg:	🐾🐾🐾🐾🐾 5 tabs/day

Split the daily quantity in two times, one in the morning and one in the evening. The minimum storage life means the period during which, under proper storage conditions the feed retains its properties. Keep the bottle closed after use. Keep in a dry place and protect from sunlight and heat sources before and after opening. Not for human consumption. Designed for pet feeding. After using **Florentero® FAST** for 1 week, if a prolonged symbiotic supplementation is needed, it is possible to administer **Florentero® Complex**.

Dietetic complementary feed for particular nutritional purposes for dogs and cats



INSTRUCTION FOR PROPER USE
For dogs and cats, adults and puppies. **Florentero® FAST** may be used during period of and recovery from acute diarrhea. It is recommended that a veterinarian's opinion be sought before use or before extending the period of use. Complete the daily ration with the usual food. It is suggested to take a balanced daily ration. Fresh water should be available at all times. The recommended length of time is 1 to 7 days, administered in reason of 2 ml every 2,5 kg of body weight per day. The minimum storage life means the period during which, under proper storage conditions, feed retains its properties. Keep the syringe closed after use. Keep in a dry place and protect from sunlight and heat sources before and after opening. Not for human consumption. Designed for pet feeding. After using **Florentero® FAST** for 1 week, if a prolonged symbiotic supplementation is needed, it is possible to administer **Florentero® Complex**.

Dietetic complementary feed for particular nutritional purposes for dogs and cats



GlutaMax® ADVANCED tablets

Support of liver function in the case of chronic liver insufficiency



GlutaMax® ADVANCED with **S-acetyl-glutathione of natural origin** from Saccharomyces cerevisiae, is aimed to support the physiological liver functionality in case of chronic hepatic failure. **GlutaMax® ADVANCED** support liver function in the case of chronic liver insufficiency **GlutaMax® ADVANCED** should be used during primary liver dysfunctions in dogs or secondary to intoxications, some drug therapies, infectious or parasitic diseases. Due to its antioxidant activity, the product may be useful in all the clinical situations requiring a quick and effective activity against free radicals production. For adult dogs.

IT CONTAINS

Siliphos® (Silybin / Phospholipids)	Antitoxic and antioxidant action
Curcuma Longa	Hepatoprotective and antioxidant action
Vitamin E and Zinc	Antitoxic and antioxidant action
Choline chloride	Antitoxic and metabolic action
Group B vitamins	Antitoxic and metabolic action

COMPOSITION

Pig liver dried, Dicalcium phosphate, Mono and diglycerides of fatty acids (Glyceryl dibehenate), Maltodextrin, Magnesium salts of stearic acid, Yeasts products (Saccharomyces cerevisiae).

ADDITIVES per kg

Nutritional additives: Vitamins: Vitamin E 3a700 79,875 IU – Choline chloride 3a890 26,175 mg - Riboflavin 3a825ii 16,020 mg – Thiamine hydrochloride 3a820 6,375 mg – Pyridoxine hydrochloride 3a831 4,350 mg – Vitamin B12 30 mg. **Trace elements:** 3b607 Zinc chelate of glycine hydrate - Zinc 2,501 mg. **Sensory additives:** 3b607 Zinc chelate of glycine hydrate - Zinc 2,501 m **Flavouring compounds:** Bitter orange extract 2b136-ex 80,250 mg - Turmeric extract 2b163-ex 2,649 mg. **Natural products botanically defined:** Silybum marianum (L.) Gaertn. = Carduus marianus L.: Milk thistle extract CoE 551 20,000 mg. **Technological additives: Stabilisers:** Microcrystalline cellulose E460 269,988 mg; **Anticaking agents:** Colloidal silica E551b 97,325 mg; **Emulsifier:** Leicthins 1c322i 35,298 mg.

Each tablet contains 40 mg of Silybin

GlutaMax® ADVANCED paste

Support of liver function in the case of chronic liver insufficiency

GlutaMax® ADVANCED paste with **S-acetyl-glutathione of natural origin** from Saccharomyces cerevisiae, is aimed to support the physiological liver functionality in case of chronic hepatic failure. **GlutaMax® ADVANCED paste** should be used during primary liver dysfunctions in cats or secondary to intoxications, some drug therapies, infectious or parasitic diseases. Due to its antioxidant activity, the product may be useful in all the clinical situations requiring a quick and effective activity against free radicals production. For adult cats.

IT CONTAINS

Vitamin E and Zinc	Antitoxic and antioxidant action
Carnitine	Antitoxic, hepatoprotective and metabolic action
Taurine	Hepatoprotective and anti-toxic action

COMPOSITION

Glycerine, Sucrose, Yeasts products (Saccharomyces cerevisiae).

ADDITIVES per kg

Nutritional additives: Vitamins: Vitamin E 3a700 22,096 IU – L-Carnitine 3a910 50,000 mg- Taurine 3a370 25,000 mg - Riboflavin 3a825i 1,500 mg - Thiamine hydrochloride 3a820 3,056 mg - Pyridoxine hydrochloride 3a831 2,084 mg - Choline chloride 3a890 1,790 mg - Vitamin B12 1,430 mg **Trace elements:** 3b607 Zinc chelate of glycine hydrate - Zinc 484.05 mg.

With sensory additives and technological additives



INSTRUCTION FOR PROPER USE
For adult dogs. **GlutaMax® ADVANCED** is aimed to support the physiological liver functionality in case of chronic hepatic failure. Administer **GlutaMax® ADVANCED** for a recommended length of time initially up to 6 months, following your Veterinarian instructions. Administer directly into the mouth or mix with food:

Dogs: 🐾 1 tab per 15 kg b.w. daily.

It is better to split the daily quantity in two administrations. It is recommended to ask the advice of a Veterinarian before use or before extending the period of administration. Water should be available at all times. The minimum storage life means the period during which, under proper storage conditions the feed retains its properties. Keep the bottle closed after use. Keep in a dry place and protect from sunlight and heat sources before and after opening. Not for human consumption.

Complementary feed for particular nutritional purposes for dogs and cats



INSTRUCTION FOR PROPER USE
Administer **GlutaMax® ADVANCED paste** for a recommended length of time initially up to 6 months, following your Veterinarian instructions. Administer directly into the mouth or mix with food:

Cats: 🐾 1 ml of paste per 5 kg b.w. daily.

It is recommended to ask the advice of a Veterinarian before use or before extending the period of administration. Water should be available at all times.

Complementary feed for particular nutritional purposes for dogs and cats

Gastrik Pet tablets

Protects the stomach's mucous membrane and maintains the correct gastric acidity



IT CONTAINS	
Promugel	Protective action
Aloe vera	Anti-inflammatory and healing action
Calcium carbonate	Magnesium hydroxide and antiacid action

COMPOSITION
Yeasts, inactivated, Guar meal (promugel®), Sodium pyrophosphate, Calcium carbonate, Magnesium hydroxide, Methyl sulphonyl methane, Mono- and diglycerides of fatty acids esterified with organic acids (Glyceril dibehenate), Psyllium seed husks (Plantago Ovata L.) (promugel®), Magnesium stearate, Lupin protein meal, Products from the processing of plant (Aloe vera), Sunflower oil.

ADDITIVES per kg
Nutritional additives: Amino acids: L-threonine 3c410 63,000 mg **Sensory additives:** Flavouring compounds: Thea sinensis L. = Camellia thea Link. = Camellia sinensis (L.) O. Kuntze: Tea extract CoE 451 30,000 mg - Trigonella foenum-graecum L.: Fenugreek extract CoE 460 (promugel®) 13,000 mg - Glycyrrhiza glabra L.: Licorice extract (wb) CoE 218 6,000 mg. **Technological additives: Emulsifier:** Microcrystalline cellulose E460 385,500 mg **Anti-caking agents:** Colloidal silica E551b 15,000 mg.

Gastrik Pet suspension

Protects the stomach's mucous membrane and maintains he correct gastric acidity



IT CONTAINS	
Promugel	Protective action
Aloe vera	Anti-inflammatory and healing action
Calcium carbonate	Magnesium hydroxide and antiacid action

COMPOSITION
Sunflower oil, Yeast product (Kluyveromyces fragilis), Calcium carbonate, Magnesium hydroxide, Sodium pyrophosphate, Products from the processing of plant (Plantago ovata L.), Dextrin palmitate, Brewer's yeast, inactivated, Products from the processing of plant (Aloe vera), Lupin protein meal.

ADDITIVES per kg
Nutritional additives: Amino acids: L-threonine 3c410 63,000 mg. **Sensory additives:** Camellia sinensis (L.) O. Kuntze: Tea extract CoE 451 30,000 mg – Trigonella foenum-graecum L.: Fenugreek extract CoE 460 13,000 mg - Glycyrrhiza glabra L.: Licorice extract (wb) CoE 218 6,000 mg. **Technological additives: Stabilizing agents:** Guar Gum E 412 6,000 mg.

Palatable suspension of 60 ml



30 tabs



INSTRUCTION FOR PROPER USE
For dogs and cats. Mix **Gastrik pet®**, according to the following scheme, mixed with food or directly in the mouth of the animal:

Dogs and cats: 🐾 1 tab of Gastrik pet up to 10 kg of body weight

It is advisable to administer the indicated quantity close to the main meal. Let water available at all times.

Complementary feed for dogs and cats



60 ml



INSTRUCTION FOR PROPER USE
For dogs and cats. Mix **Gastrik pet®**, according to the following scheme, with food or directly in the mouth of the animal:

Dogs and cats: 🐾 1 ml of Gastrik pet up to 5 kg of body weight

It is advisable to administer the indicated quantity close to each meal. Let water available at all times. Before use, shake well. Close the bottle carefully after opening. Keep in a dry place and protect from sunlight and heat sources before and after opening. The best before date reported on the packaging means the period during which, under proper storage conditions the feed retains its properties. Not for human consumption.

Complementary feed for dogs and cats

Besame 100, Besame 200

Contains Siliphos® and Oxomet



The substances contained in **BeSame** tablets are useful for the maintenance of proper liver function in cases of acute dysfunction. The fermentative derivatives contained in **BeSame** tablets provide a mixture of natural antioxidants for maintaining antioxidant defences.

IT CONTAINS	
Siliphos® (Silybin / Phospholipids)	Anti-toxic and antioxidant action
Oxomet	Antioxidant action

BESAME 100 - COMPOSITION
Yeast products (Product obtained from the biomass of the specific micro-organism grown on certain substrates) 30.8%, Yeasts [Brewers' yeast], Mono and diglycerides of fatty acids esterified with organic acids (Gliceryl dibehenate), Magnesium stearate, Sodium pyrophosphate, Lupin protein meal, Vegetable oil and fat (Sunflower oil).

BESAME 100 - ADDITIVES per kg
Stabilisers: Microcrystalline cellulose E460 mg 240,385 **Vitamins:** Vitamin E 3a700 IU 38,500 **Sensory additives:** Silybum marianum (L) Gaertn. = Carduus marianus L.: Milk thistle extract CoE 551 mg 18,711 (*Siliphos®) **Emulsifier:** Lecithins 1c322i 44,000 mg **Anti-cacking agent:** Colloidal silica E551b mg 52,500.

BESAME 200 - COMPOSITION
Yeast products (Product obtained from the biomass of the specific micro-organism grown on certain substrates) 38.2%, Yeasts [Brewers yeast], Mono and diglycerides of fatty acids esterified with organic acids (Gliceryl dibehenate), Magnesium stearate, Sodium pyrophosphate, Lupin protein meal, Vegetable oil and fat (Sunflower Oil).

BESAME 200 - ADDITIVES per kg
Stabilisers: Microcrystalline cellulose E460 mg 133.885 **Vitamins:** Vitamin E 3a700 IU 47,758 **Sensory additives:** Silybum marianum (L) Gaertn. = Carduus marianus L.: Milk thistle extract CoE 551 mg 22,869 (*Siliphos®) **Emulsifier:** Lecithins 1c322i 54,000 mg **Anti-cacking agent:** Colloidal silica E551b mg 61,750.

Jar with 30 tabs

Bolo Via paste

Removes and prevents hairballs
High palatability

Bolo Via paste is an effective and tasty solution to remove and prevent hairballs in cats.
Bolo Via paste contains substances that softens the stools, emulsify the hair and facilitate the hairballs elimination.

IT CONTAINS	
ARBOCEL®	Functional microcrystalline cellulose that promotes the elimination of hair with feces

COMPOSITION
Malt (extract), Vegetable oil and fat (Soybean oil, Sunflower oil), Glycerol mono stearate, Caramelised sugar.

ADDITIVES per kg
Vitamins: Vitamin E 3a700 UI 25,000 **Emulsifier:** Lecithins 1c322i mg 45,000 **Stabilizing agents:** Microcrystalline Cellulose E460 mg 40,000.

50 g Tube / 100 g Tube



30 tabs

30 tabs



INSTRUCTION FOR PROPER USE
Administer **BeSame 100/200** tablets for a minimum of 30 days, according to the following daily quantity, mixed with food or directly into the pet's mouth:

BESAME 100
Dogs and cats: 🐾 1 tab each 5 kg b.w. daily

BESAME 200
Dogs and cats: 🐾 1 tab each 10 kg b.w. daily

It is recommended to split the daily dosage into two administrations, one in the morning and one in the evening. Water should be available at all time.

Complementary feed for dogs and cats



50 g

100 g



INSTRUCTION FOR PROPER USE
Administer 2-5 cm of paste, according to the size of the animal, directly into the mouth or mixed with moist feed.
Water should be available at all times.

New Formula with ARBOCEL.

Complementary feed for cats



NEPHRO-UROLOGY



Renal P powder

Contains Calcium salts,
Chitosan and Sodium bicarbonate

Renal P provides minerals (calcium salts and sodium bicarbonate) and polysaccharides (chitosan), helpful to maintain the normal metabolic conditions and a proper balance of intestinal absorption and renal excretion of phosphate and calcium. For adult dogs and cats.

IT CONTAINS

Calcium salts (Calcium carbonate and calcium lactogluconate)	Combine in the intestine with food-grade phosphorus
Chitosan	Reduces intestinal absorption of phosphorus and nitrogen molecules
Sodium bicarbonate	The first choice oral alkalizing agent

COMPOSITION

Maltodextrin, Calcium carbonate 26%, Calcium lactogluconate 16%, Chitosan (Chitosane) 8%, Sodium bicarbonate 5%, Yeasts [brewer's yeast], Sodium pyrophosphate, Lupin protein meal, vegetable oil and fat (Sunflower oil).

ADDITIVES per kg

Anti-caking agents: Colloidal Silica E551b mg 5,000 Vitamins: Vitamin E 3a700 IU 8.

Palatable powder in 70 g and 240 g jars



240 g



70 g



INSTRUCTION FOR PROPER USE

Mix **Renal P** with food **0.2 g** of powder each kg b.w. daily, according to the following daily quantity:

Dogs and cats: 1 small measure each 2.5 kg b.w
Each small measure level contains
0.5 g of powder and provides: Calcium 60 mg
Chitosan 40 mg - Sodium bicarbonate 30 mg

Dogs and cats: 1 large measure each 10 kg b.w
Each large measure level contains
2 g of powder and provides: Calcium 240 mg
Chitosan 160 mg - Sodium bicarbonate 120 mg

The daily amounts can be divided into 2 or 3 feedings, according to the number of meals fed. Administer **Renal P** in 30-days cycles, following your Veterinarian's instructions. Product blends best with moist feed. In case of dry diet, slightly moisten the kibbles to ensure good adhesion of the powder and its complete intake. It is recommended that veterinarian's opinion be sought before use or extending period of use. Water should be available at all time.

Complementary feed for dogs and cats



Renal P paste

Contains Calcium salts, Chitosan
and Sodium bicarbonate

Renal P paste provides minerals (calcium salts and sodium bicarbonate) and polysaccharides (chitosan), helpful to maintain the normal metabolic conditions. For adult dogs and cats.

IT CONTAINS

Calcium salts (Calcium carbonate and calcium lactogluconate)	Combine in the intestine with food-grade phosphorus
Chitosan	Reduces intestinal absorption of phosphorus and nitrogen molecules
Sodium bicarbonate	The first choice oral alkalizing agent

COMPOSITION

Calcium carbonate 26%, Vegetable oils and fats (Sunflower oil), Calcium lactogluconate 16%, Pig liver, Chitosan (chitosane) 8%, Sodium bicarbonate 6%, Malt (extract), Glycerol monostearate.

ADDITIVES per kg

Vitamins: Vitamin E 3a 700 IU 5,000.

Syringe with 15 ml of palatable paste



15 ml



INSTRUCTION FOR PROPER USE

Administer directly into the mouth or mixed with food the following daily quantity:

Dogs and cats: 1 ml each 5 kg b.w. daily

Administer **Renal P paste** in 30-days cycles, following the instructions of the Veterinarian. It is recommended that a Veterinary's opinion be sought before use or extending period of use. Water should be available at all times.

Complementary feed for dogs and cats

Renal N powder

THE ONLY LIVE STRAIN OF
LACTOBACILLUS ACIDOPHILUS
AUTHORISED IN EU

Lactobacillus acidophilus, Olea Europaea
and Fructo-oligosaccharides

Renal N provides fructo-oligosaccharides, olive oil polyphenols, Lactobacillus acidophilus and vitamins, favouring the antioxidant defence and a normal intestinal functionality. For adult dogs and cats.

IT CONTAINS

Lactobacillus acidophilus CECT 4529	Probiotic
Olea europaea L.: Olive Extract	Antioxidant, anti-inflammatory and antihypertensive (glomerular level)
scFOS PROFEED®	Prebiotic

COMPOSITION

Maltodextrin, Fructo-oligosaccharides 30%, Fructo-oligosaccharides fermented, Sodium pyrophosphate, Yeasts [Brewers' yeast], Lupin protein meal, Palm oil, Products and by-products from processing fresh fruits and vegetables (Melon), Sunflower oil.

ADDITIVES per kg

Vitamins: Vitamin E 3a700 IU 25,000 - Pyridoxine hydrochloride 3a831 mg 10,000 - Folic acid 3a316 mg 4,000 - Cyanocobalamin mg 100 **Gut flora stabilizer:** Lactobacillus acidophilus CECT 4529 4b1715 CFU 6.3x10¹¹ **Anticaking agents:** Colloidal silica E551b mg 25,000 **Sensory additives:** Olea europaea L.: Olive Extract mg 20,000.

Palatable powder in 70 g and 240 g jars



240 g



70 g



INSTRUCTION FOR PROPER USE

Mix **Renal N** with food **0.2 g** of powder each kg b.w. daily, according to the following daily quantity:

Dogs and cats: 1 small measure each 2.5 kg b.w

Dogs and cats: 1 large measure each 10 kg b.w

The daily amounts can be divided into 2 or 3 feedings, according to the number of meals fed in 30-days cycles. Product blends best with moist feed. In case of dry diet, slightly moisten the kibbles to ensure good adhesion of the powder and its complete intake.

Complementary feed for dogs and cats



Renal N paste

THE ONLY LIVE STRAIN OF
LACTOBACILLUS ACIDOPHILUS
AUTHORISED IN EU

Contains Lactobacillus acidophilus,
Olea Europaea and Fructo-oligosaccharides

Renal N provides fructo-oligosaccharides, olive oil polyphenols,
Lactobacillus acidophilus and vitamins, favouring the antioxidant defence
and a normal intestinal functionality. For adult dogs and cats.

IT CONTAINS

Lactobacillus acidophilus CECT 4529	Probiotic
Olea europaea L.: Olive Extract	Antioxidant, anti-inflammatory and antihypertensive (glomerular level)
scFOS PROFEED®	Prebiotic

COMPOSITION

Vegetable oil and fat (Soybean oil, Sunflower oil), Fructo-oligosaccharides 25%, Pig Liver, Malt (extract), Glycerol Monostearate, Fructo-oligosaccharides fermented, Palm oil, Products and by-products from processing fresh fruits and vegetables (Melon), Maltodextrin.

ADDITIVES per kg

Vitamins: Vitamin E 3a700 IU 25,000 - Pyridoxine hydrochloride 3a831 mg 10,000 - Folic acid 3a316 mg 4,000 - Cyanocobalamin mg 100 **Gut flora stabilizer:** Lactobacillus acidophilus CECT 4529 4b1715 CFU 6.3 x1011 **Sensory additives:** Olea europaea L.: Olive Extract mg 20,000.

Syringe with 15 ml of palatable paste



15 ml



INSTRUCTION FOR PROPER USE

Administer directly into the mouth or mix **Renal N** with food according to the following daily quantity:

Dogs and cats: 🐾 1 ml each 5 kg b.w. daily

Water should be available at all times.

Complementary feed for dogs and cats



Renal COMBI powder

Complete solution for kidney integrity

Renal COMBI provides Calcium carbonate, Calcium lactate gluconate, Chitosan, Sodium bicarbonate to control hyperphosphatemia and metabolic acidosis. Fructo-oligosaccharides, Olive oil polyphenols, Lactobacillus acidophilus and vitamins, contained in Renal COMBI, favour the antioxidant defence and a normal renal functionality. For adult dogs and cats.

IT CONTAINS

Lactobacillus acidophilus	Probiotic
Olea europaea L.: Olive Extract	Antioxidant, anti-inflammatory and antihypertensive (glomerular level)
scFOS PROFEED®	Prebiotic
Calcium salts (Calcium carbonate and calcium lactogluconate)	Combine in the intestine with food-grade phosphorus
Chitosan	Reduces intestinal absorption of phosphorus and nitrogen molecules
Sodium bicarbonate	The first choice oral alkalizing agent

COMPOSITION

Calcium carbonate 26%, Fructo-oligosaccharides, Calcium lactate gluconate 16%, Maltodextrin, Chitosan, Sodium bicarbonate 6%, Sodium pyrophosphate, Yeasts [Brewers' yeast], Lupin protein meal, Sunflower oil.

ADDITIVES per kg

Vitamins: Pyridoxine hydrochloride 3a831 5,000 mg - Folic acid 3a316 2,000 mg - Cyanocobalamin 100 mg - Vitamin E 3a700 8 IU **Sensory additives:** Olea europaea L.: Olive Extract 20,000 mg **Gut flora stabilizer:** Lactobacillus acidophilus CECT 4529 4b1715 6.3x10¹¹CFU **Anti-caking agents:** Colloidal silica E551b 5,000 mg. Palatable powder in 70 g and 240 g jar



70 g

240 g



INSTRUCTION FOR PROPER USE

Mix **Renal COMBI** with food 0.2 g of powder each kg b.w. daily, according to the following daily quantity:

Dogs and cats: 1 small measure each 2.5 kg b.w

Dogs and cats: 1 large measure each 10 kg b.w

The daily amount can be administered once (1), or divided into 2 or 3 feedings, according to the number of meals. Product blends best with moist feed. In case of dry diet, slightly moisten the kibbles to ensure good adhesion of the powder and its complete intake. Drinking water should be available to the animal.

Complementary feed for dogs and cats



Renal COMBI paste

Complete solution for kidney integrity

Renal COMBI provides Calcium carbonate, Calcium lactate gluconate, Chitosan, Sodium bicarbonate to control hyperphosphatemia and metabolic acidosis. Fructo-oligosaccharides, Olive oil polyphenols, Lactobacillus acidophilus and vitamins, contained in Renal COMBI, favour the antioxidant defence and a normal renal functionality. For adult dogs and cats.

IT CONTAINS

Lactobacillus acidophilus	Probiotic
Olea europaea L.: Olive Extract	Antioxidant, anti-inflammatory and antihypertensive (glomerular level)
scFOS PROFEED®	Prebiotic
Calcium salts (Calcium carbonate and calcium lactogluconate)	Combine in the intestine with food-grade phosphorus
Chitosan	Reduces intestinal absorption of phosphorus and nitrogen molecules
Sodium bicarbonate	The first choice oral alkalizing agent

COMPOSITION

Vegetable oils and fats (sunflower oil and soybean oil), Fructooligosaccharides, Malt (extract), Calcium carbonate 6.5%, Sodium pyrophosphate, Glycerol monostearate, Calcium lactogluconate 4%, Chitosan, Yeast [Brewer's yeast], Sodium bicarbonate 3%, Lupine protein meal.

ADDITIVES per kg

Vitamins: Vitamin C 3a300 25,000 mg - Vitamin B6 3a831 2,500 mg - Folic acid 3a316 1,000 mg - Vitamin B12 50 mg - Vitamin E 3a700 5 IU. **Organoleptic additives:** Olea europaea L.: Olive extract 10,000 mg **Stabilisers of intestinal flora:** Lactobacillus acidophilus CECT 4529 4b1715 3,2 x10¹¹CFU.

Syringe with 30 ml of palatable paste



30 ml



INSTRUCTION FOR PROPER USE

Administer directly in the mouth or mix with the usual food ration at a rate of **2 ml of paste per 5 kg body weight each day**. Drinking water should be available to the animal.

Complementary feed for dogs and cats



Duomega Dogs 500 mg/1000 mg

Contains Omega 3

Duomega 500 mg and **Duomega 1000 mg** contains EPA and DHA from fish oil source in high quantity, associated to Krill oil. Omega 3 fatty acids EPA and DHA from fish oil in high concentrations exert demonstrated efficacy in maintaining the animal wellness.

IT CONTAINS

High purity Omega 3 of marine origin (EPA and DHA)	Proven effectiveness in maintaining animal welfare	DUOMEGA 500: min. 400 mg DUOMEGA 1000: min. 800 mg
---	--	---

COMPOSITION

DUOMEGA 500: Fish oil with minimum content of 90% essential fatty acids omega 3 (80% EPA and DHA) -

Krill oil **Shell:** gelatine (Bovine).

DUOMEGA 1000: Fish oil with minimum content of 90% essential fatty acids omega 3 (80% EPA and DHA) -

Krill oil **Shell:** gelatine (Bovine).

ADDITIVES per kg

DUOMEGA 500: Vitamins: Vitamin E 3a700 IU 1,750.

DUOMEGA 1000: Vitamins: Vitamin E 3a700 IU 1,750.

Each capsule contains a concentrated source of EPA and DHA (equivalent to ab. 400 mg of EPA/DHA for DUOMEGA 500, to ab. 800 mg of EPA/DHA for DUOMEGA 1000).

PE jar of 30 softgel capsules of 500 mg / PE jar of 30 softgel capsules of 1000 mg



30 softgel cpss

30 softgel cpss



INSTRUCTION FOR PROPER USE

For dogs, adults and puppies, of small size (**DUOMEGA 500**) and medium and large size (**DUOMEGA 1000**). **DUOMEGA** may be used for a minimum of 30 days, according to the following quantities:

DUOMEGA 500

0-7 kg: 🐾 cps a day

DUOMEGA 500

7-14 kg: 🐾 cps twice a day

DUOMEGA 1000

10-14 kg: 🐾 cps a day

DUOMEGA 1000

14-28 kg: 🐾 cps a day

DUOMEGA 1000

28-40 kg: 🐾 cps a day

DUOMEGA 1000

>40 kg: 🐾 cps a day

Open the capsule and mix the oil with food. The whole capsule may be directly administered to the animal. **DUOMEGA** administration may be prolonged for long time.

Complementary feed in capsules for small, medium and large breed dogs



Duomega Cats

Contains Omega 3

Duomega cats contains EPA and DHA from fish oil source in high quantity, associated to Krill oil. Omega 3 fatty acids EPA and DHA from fish oil in high concentrations exert demonstrated efficacy in maintaining the animal wellness.

IT CONTAINS

High purity Omega 3 of marine origin (EPA and DHA)	Proven effectiveness in maintaining animal welfare	min. 400 mg
---	--	-------------

COMPOSITION

Fish oil with minimum content of 90% essential fatty acids omega 3 (80% EPA and DHA) - Krill oil Shell: gelatine (Bovine).

ADDITIVES per kg

Vitamins: Vitamin E 3a700 IU 1,750.

Each capsule contains a concentrated source of EPA and DHA (equivalent to ab. 400 mg of EPA/DHA).

PE jar of 30 softgel capsules of 500 mg



30 softgel cps



INSTRUCTION FOR PROPER USE

For cats, adults and kittens.

DUOMEGA may be used for a minimum of 30 days, according to the following quantities:

Up to a 5 kg: 1 capsule a day

More than 5 kg: 1 capsule twice a day

Open the capsule and mix the oil with food. The whole capsule may be directly administered to the animal. **DUOMEGA** administration may be prolonged for long time.

Complementary feed in capsules for cats



30 g



INSTRUCTION FOR PROPER USE

Mix the powder with moist feed according to the following daily quantities:

Initial period:
1 measure (0,5 g) each 5 kg b.w. **twice** a day

Maintenance:
1 measure (0,5 g) each 5 kg b.w. **once** a day

In case of dry diet, moisten the feed to allow a good stickiness of the powder and its complete intake. Administration should last **15 to 30 days**. Cycles can be repeated several times.

CystoCure Forte could be administered alone or in association to usual therapies and specific diets. Water should be available at all time.

Complementary feed in powder for dogs and cats



Cystocure® FORTE tablets

WITH GLUCOSAMINE

Contains Glucosamine and Fermented Cranberry pulp

Cystocure® Forte, the complete formula for the natural protection and well-being of the lower urinary tract of dogs and cats. For dogs and cats of any age, size and life condition.

IT CONTAINS

Fermented Cranberry pulp	For the well-being of the lower urinary tract
Glucosamine (Chitosamine) (from animal tissues)	Able to contribute to the organic synthesis of GAGs

COMPOSITION

Glucosamine (Chitosamine) (from animal tissues) 25%, Dicalcium phosphate, Yeasts [Brewers' yeast], Cranberry pulp (fermented) 4%, Sodium pyrophosphate, Mono and diglycerides of fatty acids esterified with organic acids (Glyceryl dibehenate), Lupin protein meal, Magnesium stearate, Palm oil, Products and by-products from processing fresh fruits and vegetables (Melon), Sunflower oil, Whey protein powder.

ADDITIVES per kg

Stabilisers: Microcrystalline cellulose E 460 mg 492,200 **Sensory additives:** Camellia sinensis (L.) O. Kuntze: Tea extract CoE 451 mg 25,000 **Anticaking agents:** Guar Gum E 412 mg 30,000 - Colloidal silica E 551b mg 10,000 **Vitamins:** Vitamin E 3a700 IU 8.

Jar with 30 tablets



30 tabs



INSTRUCTION FOR PROPER USE

Administer **Cystocure® Forte** directly into the mouth or mixed with food according to the following daily quantities:

Initial period: 1 tab each 20 kg b.w. **twice** a day

Maintenance: 1 tab each 20 kg b.w. **once** a day

Administration should last **15 to 30 days**. Cycles can be repeated several times. **Cystocure® Forte** could be administered alone or in association to usual therapies and specific diets.

Complementary feed in tablets for dogs and cats

Cystocure® FORTE powder

WITH GLUCOSAMINE

Contains Glucosamine and Fermented Cranberry pulp

Cystocure® Forte, the complete formula for the natural protection and well-being of the lower urinary tract of dogs and cats. For dogs and cats of any age, size and life condition.

IT CONTAINS

Fermented Cranberry pulp	For the well-being of the lower urinary tract
Glucosamine (Chitosamine) (from animal tissues)	Able to contribute to the organic synthesis of GAGs

COMPOSITION

Maltodextrin, Glucosamine (Chitosamine) (from animal tissues) 25%, Yeasts [Brewers' yeast], Cranberry pulp (fermented) 4.0%, Sodium pyrophosphate, Lupin protein meal, Palm oil, Products and by-products from processing fresh fruits and vegetables (Melon), Whey protein powder, Sunflower oil.

ADDITIVES per kg

Sensory additives: Camellia sinensis (L.) O. Kuntze: Tea extract CoE 451 mg 25,000 **Anticaking agents:** Colloidal silica E 551b mg 5,000 **Vitamins:** Vitamin E 3a700 IU 8.

Jar with 30 g

Cystocure® FORTE paste

WITH GLUCOSAMINE

Contains Glucosamine and Fermented Cranberry pulp

Cystocure® Forte, the complete formula for the natural protection and well-being of the lower urinary tract of dogs and cats. For dogs and cats of any age, size and life condition.

IT CONTAINS

Fermented Cranberry pulp	For the well-being of the lower urinary tract
Glucosamine (Chitosamine) (from animal tissues)	Able to contribute to the organic synthesis of GAGs

COMPOSITION

Soy oil, Sunflower oil, Malt, Glucosamine (Chitosamine) (from animal tissues) 12.5%, Mono and diglycerides of fatty acids esterified with organic acids (Glycerolmonostearate), Cranberry pulp (Fermented) 4%, Sodium pyrophosphate, Yeasts [Brewers' yeast], Lupin protein meal, Whey protein, Palm oil, Products from the processing of plants (Melon).

ADDITIVES per kg

Emulsifiers: Lecithins 1c322 30,000 mg **Flavouring:** Camellia sinensis (L.) O. Kuntze: Tea extract CoE 451 12,500 mg **Vitamins:** Vitamin E 3a700 5,000 IU.

Syringe with 15 ml of palatable paste



PALATABLE PASTE

15 ml



INSTRUCTION FOR PROPER USE

For small breed dogs and cats.

Administer **CystoCure® Forte paste** directly into the mouth or mix with feed according to the following daily quantities:

Dogs and cats: 1 ml each 5 kg b.w. daily

Administration should last 15 to 30 days. Cycles can be repeated several times. **CystoCure® Forte** could be administered alone or in association to usual therapies and specific diets.

Initial period:
1 ml each 5kg of b.w. **twice**

Maintenance:
1 ml each 5 Kg of b.w **daily**

Complementary feed in paste for dogs and cats



PAIN & JOINT FUNCTION



Evexia PLUS tablets

High content of Hemp Oil and with antioxidant



Hemp Oil contained in **Evexia Plus** contribute to the maintenance of the physiological sensory function.

IN EACH TABLET

Hemp oil	Physiological maintenance of the sensory function
Boswellia serrata	Antioxidant, anti-inflammatory
Zingiber officinale	Antioxidant, anti-inflammatory

COMPOSITION

Hemp oil (granulated) 14.0%, Pork by-products, Sucrose, Yeast [Brewers' yeast], Vegetable by-products, Yeast products (fermented) (*Mitalgol), Dicalcium phosphate, Magnesium stearate, Mono and diglycerides of fatty acids esterified with organic acids (Glyceryl dibehenate), Product from the processing of plants (Hemp).

ADDITIVES per kg

Stabilisers: Microcrystalline cellulose E 460 585,436 mg - Hydroxypropylcellulose E 463 819 mg **Emulsifiers:** Lecithins 1c322i 33,809 mg **Sensory additives:** Boswellia serrata Roxb. ExColebr.: Olibanum extract 34,080 mg- Ginger oleoresin 2b489-or 3,552 mg **Anti-caking agents:** Colloidal silica E551b 6,767 mg. **Antioxidants:** Alpha-tocopherol 1b307 25,000 mg - Ascorbic acid 3a300 15,900 mg **Preservatives:** Butylated hydroxytoluene (BHT) E321 100 mg.

Jar with 20 tablets / Jar with 40 tablets / Multiblister 120 tablets



40 tabs

20 tabs



120 tabs



INSTRUCTION FOR PROPER USE

Administer **Evexia Plus** directly into the mouth or mixed with food according the following daily quantities:

Dogs and cats: 1 tab each 15 kg b.w. daily

The minimum storage life means the period during which, under proper storage conditions the feed retains its properties. Keep the bottle closed after use. Keep in a dry place and protect from sunlight and heat sources before and after opening.

Complementary feed in tablets for dogs and cats



Evexia PLUS drops

High content of Hemp Oil and with antioxidant



Hemp Oil contained in **Evexia PLUS drops** contribute to the maintenance of the physiological sensory function.

IT CONTAINS

Hemp oil	Physiological maintenance of the sensory function
Boswellia serrata	Antioxidant, anti-inflammatory
Zingiber officinale	Antioxidant, anti-inflammatory

COMPOSITION

Evexia PLUS drops Water, Hemp Oil 15.2%, Sucrose, Brewer's yeast, Yeast Product (fermented), Sodium Chloride.

ADDITIVES per kg

Stabilisers: Microcrystalline cellulose E460 49,300 mg - Hydroxypropylcellulose E 463 2,000 mg **Emulsifiers:** Lecithins 1c322 41,240 mg **Sensory additives:** Boswellia serrata Roxb. Ex Colebr.: Olibanum extract 41,870 mg-Ginger oleoresin 2b489-or 8,676 mg **Anti-caking agents:** Colloidal silica E551b 2,390 mg **Antioxidants:** Alpha-tocopherol 1b307 40,000 mg **Preservatives.:** 40 ml (equal to 600 drops).

DROPS!
PALATABLE EMULSION



40 ml



INSTRUCTION FOR PROPER USE

Administer **Evexia PLUS drops** directly into the mouth or mix with food according the following daily quantities:

2 drops each kg of body weight daily

Drinking water available for the animal is recommended. The minimum storage life means the period during which, under proper storage conditions the feed retains its properties. Keep the bottle closed after use. Keep in a dry place and protect from sunlight and heat sources before and after opening.

Complementary feed in emulsion for dogs and cats



40 tabs

120 tabs



120 tabs



INSTRUCTION FOR PROPER USE

Administer **Confis Cats** directly into the mouth or mix with food according to the following daily quantities:

Dogs and cats: 1 tab each 15 kg b.w. daily

Drinking water available for the animal is recommended. The minimum storage life means the period during which, under proper storage conditions the feed retains its properties. Keep the bottle closed after use. Keep in a dry place and protect from sunlight and heat sources before and after opening. Not for human consumption.

Complementary feed in tablets for dogs and cats

Evexia HF

High content of Palmitoylethanolamide (PEA) and Boswellia serrata



Evexia HF supports the physiological level of endogenous PEA production and contains high level of antioxidants. **Evexia HF** helps to maintain the well-being of the neurological system.

IN EACH CAPSULE

PEA	Anti-Inflammatory and analgesic action
Boswellia serrata	Antioxidant, anti-inflammatory
Melon pulp	Antioxidant, anti-inflammatory

COMPOSITION

Brewers' yeasts, inactivated, Palmitoylethanolamide (PEA) 14%, Dicalcium phosphate, Magnesium stearate, Mono- and diglycerides of fatty acids esterified with organic acids (Glyceryl dibehenate), Vegetable oil (Palm oil), Products and co-products from processing fresh fruits and vegetables (Melon).

ADDITIVES per kg

Stabilisers: Microcrystalline cellulose E460 387,500 mg **Emulsifiers:** Lecithins 1c322i 41,250 mg **Sensory additives:** Boswellia serrata Roxb. Ex Colebr.: Olibanum extract 43,750 mg **Anti-caking agents:** Colloidal silica E551b 31,870 mg **Amino acids:** L-Arginine 3c361 12,500 mg Vitamins: Vitamin E 3a700 10,000 mg.

Jar with 20 tablets / Jar with 120 tablets / Multi-blister-pack with 120 tablets



Confis Ultra

Supports joint metabolism in the case of osteoarthritis



Confis Ultra is a dietetic complementary feed for adult dogs, formulated for the support of the metabolism of joints in the case of osteoarthritis.

IN EACH TABLET

Glucosamine (Chitosamine) (from animal tissues) (purity >99%; m.w. 216 Da)	Maintaining functionality and joint mobility	500 mg
Chondroitin sulphate (purity 100%; m.w. 16,9 kDa)	Maintaining functionality and joint mobility	300 mg
Hyaluronic acid (absorbable by OS)	Proper maintenance of synovial fluid	
Native type II collagen (extracted from chicken sternums)	Proper maintenance of immune response	

COMPOSITION

Glucosamine (Chitosamine) (from animal tissues), Salt of fatty acids from Linseed oil (α-linolenic acid), Chondroitin sulphate, Dicalcium phosphate, Pork by-products, Sucrose, Yeast [Brewers' yeast], Vegetable by-products, Fish oil, Magnesium stearate, Hyaluronic acid, Collagen (extracted from chicken sternums).

ADDITIVES per kg

Stabilizers: Microcrystalline cellulose E460 mg 155,000 **Sensory additives:** Camellia sinensis (L.) O. Kuntze: Tea extract CoE 451 mg 1,750 (*FleXide) - Boswellia serrata Roxb. ex Colebr.: Olibanum extract mg 1,575 (*FleXide) - Chlorophyll copper complex E 141 mg 175 (*FleXide) **Anticaking agents:** Colloidal silica E551b mg 66,000 **Vitamins:** Vitamin E 3a700 IU 6,250.

Jar with 20 tablets / Jar with 80 tablets / Multi-blister-pack with 300 tablets



80 tabs

20 tabs



300 tabs



INSTRUCTION FOR PROPER USE

Administer **CONFIS Ultra** directly into the mouth or mix with food according the following daily quantities:

Dogs: 1 tab each 10 kg b.w. daily

Recommended length of time: initially up to 3 months. It is recommended that a veterinary surgeon's opinion be sought before use or before extending the period of use. It is advisable to perform 2-3 cycles of 40 days of continuous administration to obtain the expected benefit on the joint metabolism. Tablets may be administered as a single daily quantity.

Dietetic complementary feed for particular nutritional purposes for dogs



OPENING CAPSULE

15 cps



INSTRUCTION FOR PROPER USE

Administer **Confis Cats** according the following daily quantities:

Cats: 1 capsule each 5 kg b.w. daily

Recommended length of time: initially up to 3 months. It is recommended that a veterinary surgeon's opinion be sought before use or before extending the period of use. It is advisable to perform 4/6 weeks cycles to obtain the expected benefit on the joint metabolism.

Dietetic complementary feed for particular nutritional purposes for cats

Confis Cats

Supports joint metabolism in the case of osteoarthritis

Confis Cats is a dietetic complementary feed for cats, formulated for the support of the metabolism of joints in the case of osteoarthritis. **Confis Cats** is presented in capsules containing a palatable powder. **Confis Cats** capsules should be opened and the contents mixed with or sprinkled over the food. It is preferable to mix the product with moist food. If administering dry food, slightly moisten the food to ensure good adhesion of the powder and its complete intake.

IN EACH CAPSULE

Glucosamine (Chitosamine) (from animal tissues) (purity >99%; m.w. 216 Da)	Maintaining functionality and joint mobility	125 mg
Chondroitin sulphate (purity 100%; m.w. 16.9 kDa)	Maintaining functionality and joint mobility	100 mg

COMPOSITION

Glucosamine (Chitosamine) (from animal tissues), Chondroitin sulphate, Chicken liver, Pig liver, disodium dihydrogen diphosphate, Yeast [brewers' yeast], Sodium chloride, Salt of fatty acids from Linseed oil (α-linolenic acid), Dried algae, Magnesium stearate.

ADDITIVES per kg

Stabilisers: Hydroxypropylmethyl cellulose E464 mg 220,000 **Anticaking agents:** Colloidal silica E551b mg 6,250 **Vitamins:** Vitamin E 3a700 IU 6,250 **Sensory additives:** DL-methionine, technically pure 3c301 mg 5,000 **Trace elements:** 3b503 Manganous sulphate monohydrate - manganese mg 162.5.

Blister with 15 capsules



DERMATOLOGICAL PRODUCTS



Actea® Dermo

Dermatological lotion protective, soothing and sanitising

Lotion for dermatological use in cats and dogs indicated as an adjunct in treating skin conditions characterised by itching, redness, changes in hydrolipidic film and bacterial and fungal flora, also associated with excessive production of sebum and unpleasant odour. Thanks to its protective, soothing and sanitising properties, **Actea® Dermo** can even be used to prevent skin infections of various origins in predisposed subjects. **Actea® Dermo** is generally recommended in all situations where the physiological conditions of the skin need to be restored.

IT CONTAINS



Patented mix * of molecules of natural origin (Lactoferricin, GPI and Verbascoside) for effective control of inflammation, itching and bacterial and fungal overgrowth.

• Lactoferricin	Antifungal, antibacterial, anti-yeast, antiviral, immunostimulatory action
• GPI (Glycero-phospho-inositol lysine)	Anti-inflammatory action
• Verbascoside	Anti-inflammatory and antioxidant action

*world patent n. WO 2016/046108

COMPOSITION

Aqua (water), Propylene glycol, Sorbitol, Lactoferricin, Glycerophosphoinositol Lysine, Syringa vulgaris extract, Maltodextrin, Tocopherol, Lecithin, Arginine, Ricinus communis (castor) seed oil, Magnesium Aluminum silicate, Glycine hydrochloride, ppg-26-buteth-26, peg-40 hydrogenated castor oil, Carbomer, Benzyl alcohol, Ethylhexylglycerin, Phenoxyethanol.

50 ml bottle spray



50 ml



INSTRUCTION FOR PROPER USE

Apply a suitable amount of product, according to the area of the skin surface to be treated, twice a day. Gently rub to assure the product is adequately spread over the surface of the skin and suitably penetrates the hydrolipidic film. Repeat the operation **for 10-20 consecutive days**, until normal skin conditions are restored.



DERMATOLOGICAL PRODUCTS

Actea® Oto

Ear drops anti-earwax, soothing and hygienizing

Otologic emulsion for dogs and cats indicated as adjuvant in treatments of outer ear conditions characterized by: itching, redness, abnormal bacterial and fungal flora, associated with excessive ear wax production and bad smell. Due to its anti-earwax, soothing and hygienizing properties, **Actea® Oto** can even be used to prevent ear infections of various origins in predisposed subjects. **Actea® Oto** is generally recommended in all situations you need to restore the physiological status of the ear canal.

IT CONTAINS

	Patented mix * of molecules of natural origin (Lactoferricin, GPI and Verbascoside) for effective control of inflammation, itching and bacterial and fungal overgrowth.
• Lactoferricin	Antifungal, antibacterial, anti-yeast, antiviral, immunostimulatory action
• GPI (Glycero-phospho-inositol lysine)	Anti-inflammatory action
• Verbascoside	Anti-inflammatory and antioxidant action

*world patent n. WO 2016/046108

COMPOSITION

Aqua (water), Glycerin, Arginine, Lactoferricin, Benzyl alcohol, Carbomer, Polysorbate 80, Glycerophosphoinositol Lysine, Ethylhexylglycerin, Glycine hydrochloride, Magnesium Aluminum silicate, Oleic acid, Tocopherol, Phenoxyethanol, Maltodextrin, Syringa Vulgaris extract.

30 ml bottle with graduated dropper / Tube with 15 ml applicator canula



15 ml

30 ml



INSTRUCTION FOR PROPER USE

Actea® Oto 30 ml
Apply, using the special dispensing pipette, a quantity of product corresponding to what is shown below for each ear twice a day:

Cats and small dogs: 0.5 ml

Medium and large dogs: 1.0 ml

Be sure completely empty the pipette inside the ear canal, after taking the product from the bottle, to dispense the correct dose. Gently massage the base of the ear to allow the product to be adequately distributed inside. Repeat the operation **for 10-20 consecutive days** until the ear is clean and free of cerumen and secretions.

Actea® Oto 15 ml

Apply 4-8 drops per ear, depending on the pet size, twice a day. Gently massage the ear basis to allow suitable distribution of the product inside. Repeat for at least ten consecutive days until the ear is clean and free of earwax and secretions.



200 ml



INSTRUCTION FOR PROPER USE

Press the trigger to obtain the desired quantity of mousse. Spread it on the area to be treated twice a day or as needed, and gently massage. Extend the application until resolution, following your Veterinarian advice. Avoid product ingestion or licking by the subject.



DERMATOLOGICAL PRODUCTS

Dermousse

Dermatological foam for dogs, cats and other pets.

Dry cleansing and deodorizing

Dermatological foam indicated for the dry cleansing of hair and skin in dogs, cats, ferrets and rodents. **Dermousse** is the ideal product to be used on puppies, convalescent animals and whenever an effective dry cleansing action is needed. In case of frequent washing, **Dermousse** exerts an effective deodorizing and cleansing action on hair without altering the composition of the external lipidic layer and favouring the removal of dandruff and scurf. It is suggested for complete body washing and for partial cleansing of delimited areas (legs, perineal area, tail, etc.).

IT CONTAINS

Salicylic acid	Soothing
-----------------------	----------

COMPOSITION

Aqua – Disodium phosphate – Cocamidopropyl betaine – PEG-6 Undecylenate – PEG-40-Hydrogenated – Castor Oil – Phenoxyethanol - Dipropylene Glycol – Salicylic acid – Citric acid – Perfume – Imidazolidinylurea– Tocopheryl acetate – Ethyl Linolenate.

200 ml bottle



200 ml



INSTRUCTION FOR PROPER USE

Press the trigger to obtain the desired quantity of mousse. Spread it on the whole body or on the area to be treated, massaging to bring it into contact with skin and hair. Let the product work for a few minutes, until it completely dries out, then brush or rub the hair with a dry cloth.



Pro-pad

Skin-normalising, anti-corn cream for dogs,

cats and other small animals

Pro-Pad, thanks to its high content in moisturizing and softening ingredients, carries out an efficient restoring and normalizing action on skin, making softer all corns and reducing chaps and pad or nose abrasions. Decreases and brings corns back to normal conditions (including the ones due to decubitus), strengthens pads keeping them soft and resistant. **Pro-Pad** is very nourishing but not greasy thanks to its quick penetration.

IT CONTAINS

Paraffin	Emollient
Glycerin	Moisturizing
Salicylic acid	Soothing

COMPOSITION

Water - Glycerin - Urea - Paraffinum liquidum - Isopropyl myristate - Cetearyl alcohol - Ceteareth12 - Ethyl linoleate - Tocopheryl acetate - Phenoxyethanol - Salicylic acid - Sodium cetearyl sulfate - Imidazolidinylurea - Olea europea - Potassium olive oil hydrolysed wheat protein - 18-b-Glycyrrethinic acid - BHT.

100 ml cream tube



100 ml



INSTRUCTION FOR PROPER USE

Apply the cream several times a day, as needed, with a soft massage. Wear protective gloves/protective clothing/ Protect your eyes/your face.





DERMATOLOGICAL PRODUCTS

Neoxide®

Suitable for daily cleansing
Keratolytic and anti-earwax activity
Fresh fragrance

Otologic preparation for dogs and cats with a keratolytic, anti-earwax, emollient, moisturising and sanitising action. The product is indicated to normally clean healthy animals' ears. Furthermore, thanks to its properties, it helps preventing otitis in susceptible subjects (Cockers, Poodles, etc). The product can also be used as an adjuvant in the pharmacological treatment of ear infections of different origins.

IT CONTAINS

Lactic acid	Maintains the physiological pH
Salicylic acid and Aloe	Soothing
Oleic acid	Anti-earwax
Propoli	Natural antibacterial

COMPOSITION

Dipropylene glycol - Glycerin - Propylene glycol - Oleic acid - Lactic acid - Salicylic acid - Aloe ferox 0.5% - Propolis wax - Perfume - Aqua - Chlorhexidine digluconate 0.05% - BHT.

100 ml bottle of solution with anatomical and atraumatic canula



100 ml



INSTRUCTION FOR PROPER USE



Apply **5-6 drops per ear in dogs** and **2 drops in cats**, and softly massage the ear basis, thus leaving the animal free to shake its head and eliminate the dissolved material. Should some product leak out of the ear duct, wash the hair with a suitable detergent. Repeat the treatment daily until the ear appears clean and free of ear wax; then, instill once a week as a preventative measure.

Optivet®

Eye contour cleanser for pets and other small animals

Eyelid cleanser for pets and other small animals (rodents, mustelids). Isotonic solution to cleanse eyelids and hygienically clear away dirt and mucus. It removes hair spots produced by overlacrimation (whitening action). It has no contraindication in case of eye contact.

IT CONTAINS

Benzalkonium chloride	Antimicrobial
-----------------------	---------------

COMPOSITION

Aqua, Disodium Phosphate, Sodium Chloride, Sodium Phosphate, Disodium EDTA, Benzalkonium Chloride.

50 ml bottle



50 ml



INSTRUCTION FOR PROPER USE



Cleanse eyelids and eye contour removing dirt using a soaked cotton or gauze tampon. Do not use if the seal is not intact. For a correct use follow your Veterinarian instructions.



DENTAL CARE PRODUCTS

DENTAL CARE PRODUCTS



Actea® Oral

Stomatological protective gel
Reduces plaque and controls halitosis

Highly adhesive stomatological protective gel indicated as an aid in the treatment of periodontal ailments in dogs and cats (e.g. gingivitis, stomatitis, periodontitis). It counters plaque formation and quickly reduces halitosis. Thanks to its protective action, **Actea® Oral** quickly restores the physiological conditions of the oral mucosa, even after tartar removal and tooth extractions.

IT CONTAINS



Patented mix * of molecules of natural origin (Lactoferricin, GPI and Verbascoside) for effective control of inflammation, itching and bacterial and fungal overgrowth.

• Lactoferricin	Antifungal, antibacterial, anti-yeast, antiviral, immunostimulatory action
• GPI (Glycero-phospho-inositol lysine)	Anti-inflammatory action
• Verbascoside	Anti-inflammatory and antioxidant action

*world patent n. WO 2016/046108

COMPOSITION

Aqua (water), Sorbitol, Glycerin, Carbomer, Lactoferricin, Glycerophosphoinositol Lysine, Sodium hydroxide, Lecithin, Glycine hydrochloride, Phenoxyethanol, Maltodextrin, Ethylhexylglycerin, Syringa vulgaris extract.

15 ml tube



15 ml



INSTRUCTION FOR PROPER USE



Apply a suitable amount of product, gently rubbing the gums, **twice a day for 10-20 consecutive days**. To assure maintenance of the oral cavity's physiological conditions, apply once a day following the advice from your Veterinarian. To open the tube, pull the cap up while slightly turning it at the base.





DentalMax®

Stomatologic gel toothpaste for dogs and cats

DentalMax® is a high adhesiveness stomatologic gel to be used directly or brushed as a toothpaste. **DentalMax®** is effective in preventing plaque and tartar build-up, controlling halitosis and reinforcing tooth enamel. Its chamomilla flavouring makes it well accepted in most of the subjects.

IT CONTAINS

Chlorhexidine and Zinc citrate	Antiplaque
--------------------------------	------------

COMPOSITION

Aqua - Sorbitol - Silica - Zinc citrate - PEG-40 Hydrogenated castor oil - Phenoxyethanol - Sodium monofluorophosphate - Hydroxyethylcellulose - Xanthan gum- Glycyrrhetic acid - Chlorhexidine digluconate (0,12%) - Chamomilla recutita extract - C142051 - C119140.

50 ml tube



50 ml



INSTRUCTION FOR PROPER USE

Apply **DentalMax®** on teeth and gums and gently brush for about a minute. The use of a toothbrush enables better results. Repeat the application **at least daily during 3 weeks cycles**. It is advisable to continue the treatment for 21 days in a row at the most. Application cycles could be repeated depending on your Veterinarian advice.



DentalPet® Spray

Chlorhexidine oral spray for dogs and cats

Mouthwash for dogs and cats that, because of its alcohol-free formula and its active ingredients, develops many beneficial effects on teeth and oral cavity: inhibits dental plaque build-up. Furthermore it is an effective way to control halitosis.

IT CONTAINS

Ginkgo biloba extract	Strengthens the natural defenses of the mouth
Malva sylvestris extract	Calming and soothing

COMPOSITION

Aqua - Glycerin - Propylene glycol - PEG-40 Hydrogenated castor oil - Phenoxyethanol - Imidazolidinyl urea - Mentha piperita - Sodium fluoride - Malva sylvestris - Ginkgo biloba - Chlorhexidine digluconate 0.12 % - Trioxethylrutin.

50 ml bottle / 125 ml bottle



50 ml



INSTRUCTION FOR PROPER USE

Apply daily sprinkling on teeth and gums. It is suggested to use for cycles **not longer than 21 days**. Such cycles can be repeated several times, according to your Veterinarian advice.



DentalPet®

Specific toothpaste for dogs and cats

High adhesiveness specific toothpaste for dogs and cats. Its active ingredients (Zinc citrate, Ginkgo biloba extract, Malva sylvestris extract) make it perfect for daily oral care of pets. **DentalPet®** has a soothing and emollient action on gums, reinforces tooth enamel and enhances oral cavity natural defences. Its continuative use is an effective way to prevent inflammations and control halitosis.

IT CONTAINS

Ginkgo biloba extract	Strengthens the natural defenses of the mouth
Malva sylvestris extract	Calming and soothing

COMPOSITION

Aqua - Sorbitol - Silica - Zinc citrate - Phenoxyethanol - C177891 - PEG-40 Hydrogenated castor oil - Sodium monofluorophosphate - Hydroxyethylcellulose - Xanthan gum - Triclosan - Ginkgo biloba - Malva sylvestris - Malt extract.

50 ml tube



50 ml



INSTRUCTION FOR PROPER USE

Apply **DentalPet®** on teeth and gums and gently brush for about a minute using the fingerbrush or a toothbrush otherwise practicing a manual massage. Repeat such application daily.



Dentalpet® Kit

The convenience to have in one single package all what is needed to provide appropriate and complete oral care in dogs and cats

DentalPet® High adhesiveness specific toothpaste for dogs and cats. Its active ingredients (Zinc citrate, Ginkgo biloba extract, Malva sylvestris extract) make it perfect for daily oral care of pets. DentalPet® has a soothing and emollient action on gums, reinforces tooth enamel and enhances oral cavity natural defences. Its continuative use is an effective way to prevent inflammations and control halitosis. **DentalPet® Spray** Mouthwash for dogs and cats that, thanks to its alcohol-free formula and its active ingredients, develops many beneficial effects on teeth and oral cavity and inhibits dental plaque build-up. Furthermore it is an effective way to control halitosis.

IT CONTAINS

1 Dentalpet®	50 ml tube
1 Dentalpet® Spray	50 ml bottle
1 fingerbrush	

COMPOSITION

DentalPet®

Aqua - Sorbitol - Silica - Zinc citrate - Phenoxyethanol - C177891 - PEG-40 Hydrogenated castor oil - Sodium monofluorophosphate - Hydroxyethylcellulose - Xanthan gum - Triclosan - Ginkgo biloba - Malva sylvestris - Malt extract.

DentalPet® Spray

Aqua - Glycerin - Propylene glycol - PEG-40 Hydrogenated castor oil - Phenoxyethanol - Imidazolidinyl urea - Mentha piperita - Sodium fluoride - Malva sylvestris - Ginkgo biloba - Chlorhexidine digluconate 0.12 % - Trioxethylrutin.



INSTRUCTION FOR PROPER USE

DentalPet®
Apply DentalPet® on teeth and gums and gently brush for about a minute using the fingerbrush or a toothbrush otherwise practicing a manual massage. Repeat such application daily.



DentalPet® Spray

Apply daily sprinkling on teeth and gums. It is suggested to use for cycles not longer than 21 days. Such cycles can be repeated several times, according to your Veterinarian advice.



OTHER COMPLEMENTARY FEEDS



Forbid

Makes faeces disagreeable to ingestion in case of coprophagy

Forbid makes faeces disagreeable to ingestion by the animal. The substances contained in **Forbid** make faeces absolutely unsavoury. Its action reduces the risk of reinfestation, avoiding ingestion of parasite eggs contained in faeces. For dogs and cats, adults and puppies.

COMPOSITION
Cereal flour (Wheat), Calcium salts of organic acids (Calcium Glutamate).

ADDITIVES per kg
Vitamins: Vitamin E 3a700 IU 1,500.

50 g powder jars / 250 g powder jars



250 g



50 g



INSTRUCTION FOR PROPER USE
It is advisable to administer **Forbid** for a period of 15 days. Administer **Forbid** mixed with food according to the following daily quantity:

- Cats and small size dogs (under 10 kg bw)**
½-1 measure
- Medium size dogs (10-25 kg bw)**
1-1 e ½ measure
- Large size dogs (over 25 kg bw)**
2 e ½ measure

If the animal is subjected to the ingestion of its own faeces and shares the same environment with other dogs or cats, extend them the Forbid administration, in order to avoid the assumption of other animal's faeces. Water should be available at all time.

Complementary feed for dogs and cats



Herpless Plus

Contains L-lysine and colostrum

Herpless Plus is a complementary feed for cats that contains the amino acid L-lysine. For use in cats of any age as nutritional supplement for conditions responsive to L-lysine administration.

IT CONTAINS	
L-lysine	Interferes with viral replication
Lactoferrin	Interferes with viral replication
Bovine colostrum	Support immune system
Zinc chelated	With amino acids immunomodulatory action
Fungi dried	Immunomodulatory action

COMPOSITION
Fungi, dried (Pleurotus ostreatus, Pleurotus eryngii, Lentinula edodes), Yeasts products (Saccharomyces cerevisiae) (Epicor® pets), Maltodextrin, Colostrum powder, Whey protein powder, Whey protein powder (hydrolized), Sodium bicarbonate

ADDITIVES per kg
Nutritional additives: minoacids: L-lysine monohydrochloride, technically pure 3c322 500,000 mg Trace elements: Zinc chelate of glycine hydrate 3b607 - Zinc 5,200 mg **Technological additives:** Anti-caking agents: Colloidal silica E 551b 10,000 mg

Jar with 30 g / 120 g



30 g 120 g



INSTRUCTION FOR PROPER USE
Mix **Herpless** powder contains the aminoacid L-lysine. Mix HERPLESS plus powder with moist feed according to the following daily quantity:

- Cats < 2,5 kg:** 1 level measure (equivalent to 250 mg L-lysine) twice a day
- Cats > 2,5 kg:** 2 level measures (equivalent to 500 mg L-lysine) twice a day

In case of a diet based only on dry feed: slightly moisten the feed to ensure good adhesion of the powder and its complete intake. The minimum storage life means the period during which, under proper storage conditions the feed retains its properties. Keep the pot closed after use. Keep in a dry place and protect from sunlight and heat sources before and after opening.

Complementary feed in powder for cats

Herpless Plus facile

Contains L-lysine and colostrum

Herpless Plus facile provides a high level of L-lysine (500 mg / soft chews), which is a competitive inhibitor of L-arginine.

IT CONTAINS	
L-lysine	
Zinc chelated	With amino acids

COMPOSITION
Micronized poultry meal, Glycerine, Pregelatinized rice starch, Animal by-products (Pork), Fungi, dried (Pleurotus ostreatus, Pleurotus eryngii, Lentinula edodes), Yeasts products (Saccharomyces cerevisiae) (Epicor® pets), Glucose syrup, Colostrum powder, Whey protein powder, Whey protein powder (hydrolized), Sodium chloride.

ADDITIVES per kg
Nutritional additives: Aminoacids: L-lysine monohydrochloride, technically pure 3c322 250,000 mg Trace elements: 3b607 Zinc chelate of glycine hydratehydrate 3b607 - Zinc 5,200 mg **Technological additives:** preservatives and antioxidants.

Resealable bag with about 30 soft chews



60 g



- INSTRUCTION FOR PROPER USE**
- Cats < 2,5 kg:** 1 chew daily (containing 500 mg of L-lysine)
 - Cats > 2,5 kg:** 2 chews daily (containing 1000 mg of L-lysine)

Give water for drink to the animals.

Keep out of reach of children and pets – keep in a dry place and protect it from sunlight – not for human consumption – keep closed after opening.

Complementary feed in chews for cats



OTHER COMPLEMENTARY FEEDS

Vigorpet Cats

Multivitamin, energetic

Vigorpet Cats provides adequate intake of vitamins and aminoacids useful in case of weakness, post-surgical recovery, infections, metabolic imbalances, fasting, aging, growing, pregnancy and lactation. It can be used to stimulate general conditions thanks to its content of branched aminoacids. For cats, adults and puppies.

IT CONTAINS

Vitamin mix	Vitamin C - Vitamin E - Group B vitamins
Mix of branched amino acids	Leucine - Valine - Isoleucine
Taurine	Energizing

COMPOSITION

Vegetable oil and fat (soybean oil, sunflower oil), Malt extract, Glycerol mono stearate, protein hydrolysate.

ADDITIVES per kg

Vitamins, provitamins and chemically well defined substances having a similar biological effect: L-Carnitine-L-Tartrate 3a911 mg 50,000 - L-Ascorbic acid 3a300 mg 10,000 – Vitamin E 3a700 mg 5,000 - Taurine 3a370 mg 5,000 - Thiamine mononitrate 3a821 mg 1,500 – Niacinamide 3a315 mg 1,000 - Pyridoxine hydrochloride 3a831 mg 1,000 – Riboflavin mg 1,000 - D-(+)-Biotin 3a880 mg 25 - Vitamin B12 mg 2.5 - **Natural or corresponding synthetic chemically defined flavourings:** L-Leucine Flavis/ CAS No 61-90-5/ No. 17.012 2b17012 mg 50,000 – L-Valine / CAS No. 72-18-4 / Flavis No. 17.028 2b17028 mg 25,000 – D,L-Isoleucine / CAS No. 443-79-8 / Flavis No. 17.010 2b17010 mg 25,000.

50 g tube paste



50 g



INSTRUCTION FOR PROPER USE

Administer directly into the mouth or mixed with food for **7-15 days** according to the following daily quantity:

Cats <2.5 kg b.w: 2 cm daily

Cats 2.5-5 kg b.w: 3 cm daily

Cats >5kg b.w: 4 cm daily

Water should be available at all times.

Complementary feed for cats

Vigorpet Dogs

With vitamins and amino acids

Vigorpet Dogs provides adequate intake of vitamins and amino acids and is useful to restore the dog wellness compensating metabolic and energetic needs. It can be used to stimulate general conditions due to its content of branched aminoacids. For dogs, adults and puppies.

IT CONTAINS

Mix of branched amino acids	Ready availability energy: Leucine, Valine, Isoleucine
Vitamin mix	Vitamin C - Group B vitamins
Carnitine	It stimulates the immune system
Ginseng extract	Against stress and chronic fatigue

COMPOSITION

Dicalcium phosphate, Sodium pyrophosphate, Yeasts [brewers’ yeast], Lupin protein meal, Magnesium stearate, Vegetable oil and fat (Sunflower oil).

ADDITIVES per kg

Vitamins: Ascorbic acid 3a300 25,000 mg – Thiamine hydrochloride 3a820 6,000 mg – Pyridoxine hydrochloride 3a831 4,000 mg – L-Carnitine 3a910 75,000 mg **Stabilisers:** Microcrystalline cellulose E460 435,000 mg **Amino acids:** L-Leucine 3c382 100,000 mg – L-Valine 3c370 50,000 mg - L-Isoleucine 3c381 50,000 mg **Anti-caking agents:** Colloidal silica E551b 5,000 mg **Natural products – botanically defined:** Panax ginseng C.A. Mey: Ginseng extract CoE 318 15,000 mg.

Jar with 20 tablets



20 tabs



INSTRUCTION FOR PROPER USE

Administer directly into the mouth or mixed with food for **7-15 days** according to the following daily quantity:

Dogs: 1 tab each 15 kg b.w. once or twice a day

Complementary feed for dogs



OTHER COMPLEMENTARY FEEDS

Pappylait Dog

Complete milk replacer for nursing puppies up to weaning

Pappylait Dog is a complete, balanced petfood, ideal for nursing puppies. **Pappylait Dog** can especially be used for orphan puppies, as addition to the puppy diet if the mother does not produce enough milk, or as supplement of weaning puppies nutrition plan. For puppies up to weaning.

IT CONTAINS

Calcium and phosphorus	Bone development
Vitamin mix	Vitamin C + B vitamins + Vitamin A + Vitamin D3 + Vitamin E
Mix mineral salts	Potassium + Zinc + Manganese + Sodium + Iron + Copper + Organic Selenium
Amino Acids	L-Lysine + DL-Methionine

COMPOSITION

Dextrose, Caseinate, Vegetable oil and fat (Palm oil), Dextrin.

ADDITIVES per kg

Vitamins: L-ascorbic acid 3a300 mg 100 - Vitamin A 3a672a IU 4,800 - Vitamin E 3a700 IU 60 – Niacinamide 3a315 mg 30 - Calcium-D-panthothenate 3a841 mg 21.7 - Riboflavin 3a825ii mg 15 – Thiamine hydrochloride 3a820 mg 6 – Pyridoxine hydrochloride 3a831 mg 6 - Vitamin D3 3a671 IU 1,500 - Vitamin B12 mg 0.05 **Emulsifying:** Guar Gum E412 mg 10,000 **Amino acids:** L-lysine monohydrochloride, technically pure 3c322 mg 25 – DL-Methionine, technically pure 3c301 mg 5 **Trace elements:** 3b101 Iron (II) carbonate - iron mg 80 – 3b604 Zinc sulphate heptahydrate - Zinc mg 40 – 3b503 Manganous sulphate monohydrate - Manganese mg 20 – 3b405 Copper (II) sulphate pentahydrate – Copper mg 8 – 3b8.11 Organic form of Selenium produced by Saccharomyces Cerevisiae - Selenium mg 0.13 – 3b201 Potassium iodide - idoiium mg 0.15 **Bingers:** Colloidal silica E551b mg 60.

Tin with 250 g



250 g



INSTRUCTION FOR PROPER USE

Mix well **Pappylait Dog** with warm water according to the following instructions:

Mix **Pappylait** with warm water pouring 5 measures (about 20 grams in weight) for every 100 ml of water. Make sure that it dissolves completely and that there are no lumps. Then feed the puppy immediately according to the following daily quantity:

Small size puppy up to 2 months: up to 150 ml daily

Medium size puppy up to 2 months: up to 300 ml

Large size puppy up to 2 months: up to 600 ml

The above dosages have to be divided among the daily meals (every 2-3 hours during the first 3 weeks of life, every 4-5 hours from the 4th week on). Prepare the product at each meal. This formula is best administered by using a bottle. Administer the product at a temperature of about 37°-38°C. Test the milk temperature with a few drops on inside of wrist.

Complete milk replacer for dogs

Pappylait Cat

Complete milk replacer for nursing kittens up to weaning

Pappylait Cat is a complete, balanced petfood with high solubility, ideal for nursing kittens. **Pappylait Cat** can especially be used for orphan kittens, as addition of the kitten diet if the mother does not produce enough milk, or as supplement of weaning kitten nutrition plan. For kittens up to weaning.

IT CONTAINS

Calcium and phosphorus	Bone development
Vitamin mix	Vitamin C + Group B vitamins + Vitamin A + Vitamin D3 + Vitamin E
Mix mineral salts	Potassium + Zinc + Manganese + Sodium + Iron + Copper + Organic
Amino Acids	L-Lysine + DL-Methionine
Taurine	

COMPOSITION

Dextrose, Caseinate, Vegetable oils and fats (Palm oil), Mono-sodium phosphate, Dextrin.

ADDITIVES per kg

Vitamins: Ascorbic acid 3a300 mg 100 - Vitamin A 3a672a IU 4,800 - Vitamin E 3a700 IU 60 – Niacinamide 3a315 mg 30 - Calcium-D-panthothenate 3a841 mg 21.7 – Vitamin B2 3a825ii mg 15 – Thiamine hydrochloride 3a820 mg 6 – Pyridoxine hydrochloride 3a831 mg 6 - Vitamin D3 3a671 IU 1,500 - Vitamin B12 mg 0.05 **Emulsifying:** Guar Gum E412 mg 10,000 **Amino acids:** L-lysine monohydrochloride, technically pure 3c322 mg 25 – DL-methionine, technically pure 3c301 mg 5 **Trace elements:** 3b101 Iron (II) carbonate - iron mg 80 – 3b604 Zinc sulphate heptahydrate - zinc mg 40 - Manganous sulphate monohydrate - manganese mg 20 – 3b405 Copper (II) sulphate pentahydrate - copper mg 8 – 3b8.11 Organic form of Selenium produced by Saccharomyces Cerevisiae (*Alkosel®) - selenium mg 0.13 – 3b201 Potassium iodio - iodium mg 0.15 **Sensory additives:** Taurine 2b16056 mg 1,000 **Bingers:** Colloidal silica E551b mg 60.

Tin with 150 g



150 g



INSTRUCTION FOR PROPER USE

Mix well **Pappylait Cat** with warm water according to the following instructions:

Mix **Pappylait** with warm water pouring 5 measures (about 20 grams in weight) for every 100 ml of water. Make sure that it dissolves completely and that there are no lumps. Then feed the kitten immediately according to the following daily quantity:

Kittens up to 2 months: up to 150 ml daily

The above quantities have to be divided among the daily meals (every 2-3 hours during the first 3 weeks of life, every 4-5 hours from the 4th week on). Prepare the product at each meal. This formula is best administered by using a bottle. Administer the product at a temperature of about 37°-38°C.

Complete milk replacer for cats



DIAGNOSTIC PRODUCTS

Coprosol

Sodium Nitrate solution

Sodium Nitrate solution (specific gravity 1.2) to be used to conduct fecal parasitological analysis with **Copro-Kit®** and in any floatation technique.

COMPOSITION

Purified water, Sodium nitrate.

2 l bottle



2000 ml



Copro-kit®

Patented diagnostic system to carry out the collection of the stool sample and the coprological examination in a SIMPLE, FAST and SAFE manner. For a safer determination of parasites use the **Coprosol** solution, available separately.

The test tube is composed of non-toxic material in compliance with current regulations.

50 single-use tubes in box



50 test tubes



INSTRUCTIONS

- 1) Lift cap of **COPRO-KIT®**
- 2) Fill halfway with **COPROSOL** solution
- 3) Rotate back and forth the collecting device containing the faeces sample until it dissolves
- 4) Press the internal insert until the release
- 5) Fill completely with **COPROSOL** solution
- 6) Place the slide and wait for about 20 minutes
- 7) Analyse the slide with a microscope. Dispose the tube.

THE COMPLETE RANGE OF COMPLEMENTARY FEEDS FOR THE WELL-BEING OF DOGS AND CATS

SaniStrong

ENERGY
AND WELL-BEING



SaniKiss

FOR A FRESH AND
PLEASANT BREATH



SaniFit

FOR AN OPTIMAL
BODY WEIGHT

SaniCoat

SHINY COAT
AND HEALTHY SKIN



SaniCalm

FOR RELAXED AND
QUIET DOGS AND CATS



SaniBone

FOR A PROPER BONE
DEVELOPMENT

Customisable line
with a minimum order
quantity for each product

CANDIOLI'S EXOTIC PET LINE PRODUCTS

PRO-C Probiotic

A CALCIUM BALANCER
AND MINERAL SUPPORT



REPTOBOOST

AN ELECTROLYTE, PROBIOTIC
AND ENERGY DRINK
FOR SNAKES, LIZARDS &
TORTOISES IN NEED OF
A PICK-ME-UP



AVIPRO AVIAN

SOLUBLE PROBIOTIC
FOR BIRDS, PLUS SOLUBLE
FIBRE PREBIOTIC ENHANCED
WITH VITAMINS A, C & E



ZOLCAL-F FEED

PREVENT AND QUICKLY
TREAT CALCIUM AND
VITAMIN D3 DEFICIENCIES



CALCI-DUST

A HIGH CALCIUM
DUSTING POWDER



ACE-HIGH

MULTIVITAMIN /
MINERAL SUPPLEMENT
ENHANCED IN VITAMINS
A, C & E



CCF Critical Care Formula

UNIQUE BLEND OF ENERGY
SUPPLYING GLUCOSE,
WITH PROTEIN CONCENTRATE



NUTROBAL[®]

A CALCIUM BALANCER
AND MINERAL SUPPORT



NUTROGRUB[®]

BUG FOOD CONTAINING
PROTEIN, CALCIUM AND
VITAMIN D3 FOR IMPROVING
CALCIUM LEVELS IN INSECTS



NEED MORE INFO?

On candioli.com there is a **reserved area**
from which it is possible to download
all the marketing material of products.



Restricted Area

EMAIL

PASSWORD

Enter

